

Reviewed  
March, 2022

**GRANT APPLICATION  
TOWN OF OCEAN VIEW  
EMERGENCY SERVICES ENHANCEMENT FUNDING PROGRAM**

**Name of Organization:** Millville Volunteer Fire Company Inc.

**Address:** 35554 Atlantic Avenue, Millville DE 19967

**Name of Contact Person:** Guy Rickards, Fire Chief

Phone No. (302) 539-9535      Cell No. (410) 726-4539      Fax No. (302) 539-7319

**Email:** [indianriverviewmarina@yahoo.com](mailto:indianriverviewmarina@yahoo.com)

**Website:** [www.millville84.com](http://www.millville84.com)

**Mission Statement:**

The Millville Volunteer Fire Company is a 501©3 community non-profit organization in its 86<sup>th</sup> year providing Fire and Rescue services and in its 61<sup>st</sup> year of providing Emergency Medical Services to the Town of Ocean View as well as the Town of Millville and other unincorporated areas that make up the Millville Fire District. It is the mission of the MVFC to provide the highest level of life saving services to the communities we serve.

Currently, the company operates out of two stations, Station 1 located at 35554 Atlantic Avenue in Millville and Station 2 located at 34237 Omar Road in Clarksville. The Company has over 90 volunteer members as well as 15 full-time career employees. The MVFC operates two engine companies (pumpers), an engine-tanker (2700 gallons of water), a rescue-engine, a tractor trailer tanker (6,500 gallons of water), a brush truck, three utility vehicles, four BLS ambulances, a 24' rescue boat and a command vehicle. In 2021, the MVFC handled 2,418 Emergency Medical Service calls, with 1,431 patients transported to medical facilities. In addition, in 2021 we responded to 409 fire and rescue calls, for a total of 2,827 calls for service.

**History:**

The MVFC has always had a close working relationship with the Town of Ocean View by being the primary provider for Fire/Rescue and Emergency Medical Services since our organization was founded in 1936. The MVFC participates in the town's events as well as with the Town of Ocean View Police Department. The MVFC has worked closely with the Ocean View Police Department in preparing emergency plans for the Lord Baltimore Elementary School. Joint training was also conducted with the police department to prepare for an active assailant scenario. Each year in October the MVFC educates local school children by participating in the National Fire Prevention Week at Lord Baltimore Elementary School. This week long event allows firefighters to speak to children about fire safety in the home, dialing 911, exit drills in the home, dangers of playing with matches, Stop Drop and Roll, as well as how to use fire extinguishers and kitchen safety.

### **Number and Type of Service Calls to Ocean View:**

The Millville Volunteer Fire Company, Inc. responded to 62 Fire/Rescue calls and 345 Emergency Medical Services calls, for a total of 407 calls in the Town of Ocean View last year.

### **Project:**

The Millville Volunteer Fire Company Inc. is requesting \$80,000.00 in assistance from the Town of Ocean View's Emergency Enhancement Fund in order to purchase new Holmotro rescue tools and to upgrade our fuel depot at Fire Station 1 in Millville.

Many of our current Holmotro rescue tools are over twenty years old. Vehicle rescue tool technology has greatly improved over the years and the new rescue tools have greater cutting and prying capabilities reducing the time to extricate critically injured patients. We would intend to purchase the "Penttheon Series", Holmotro rescue tools for our upgrade. The new tools are powered by Lithium-Ion batteries, thus eliminating the need for gasoline motors and cumbersome hydraulic lines. We would intend to purchase a cutter, spreader, combination-tool, medium ram and two ram extensions. In addition, we would intend to purchase backup electrical adaptors for extended operations, on-board spare battery charging system and one AC/DC power converter. The new rescue tools come with a limited lifetime warranty. In addition, training on the new rescue tool system would be included with the purchase. The total cost of the above vital equipment is \$64,919.00. A quote and brochure are attached for your reference.

The remaining funds would be utilized to upgrade our current fuel depot at Fire Station 1 in Millville. The current fuel depot is over 30 years old and is in need of upgrading. We would intend to replace the current pumps, install a new pump control system to accurately track fuel usage, and to paint the current fuel storage tanks (double walled). The fuel depot operates normally by in-ground electrical power and also has the capability to be operated by back-up generator power. Lighting would be upgraded for nighttime operations. The estimated cost of the fuel depot upgrade would be \$22,893.65. A quote is attached for your reference.

The combined total to fund both projects is \$87,812.65.

### **Summary:**

As a 501(C)3 Community Non-Profit Organization we rely on donations, grant money, as well as state and county funding to help us meet our goals. The Millville Volunteer Fire Company would struggle to purchase vital equipment and improvements without the assistance of the town. These capital improvements will enhance our operations, protect the citizens of Ocean View and keep enhancement money directly within the town where it is best utilized.



3/1/2022

## Holmatro CORE/Battery Rescue Systems Bid Proposal Millville Fire Company, DE

|                                                                                        | Part Description                                                                 | Price            |
|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------|
| <u>Each Penttheon Package Includes: (2) 7.0 Ah-28V L-Ion Batteries, 120VAC Charger</u> |                                                                                  |                  |
| 1                                                                                      | PCU50** Penttheon 7.2" Incline NCT Cutter, 312,260 lbs Cutting, 47.4 lbs         | \$ 15,160        |
| 1                                                                                      | PSP40** CL Penttheon Pkg: 20.1" Spreader 29,450 lbs Spread, 33.5 lbs             | \$ 15,588        |
| 1                                                                                      | PCT50** Penttheon 15" Combi, 418,145 lbs., Cut 150,622 lbs, 44.8 lbs             | \$ 15,876        |
| 1                                                                                      | PTR50** Penttheon Med T-Ram, LED Lights, 22.8"-53.8", 30,574/14,613lbf, 43.9 lbs | \$ 12,985        |
| 1                                                                                      | TRE04 Penttheon Ram Extension - 8.7" Extension, 7.3 lbs                          | \$ 859           |
| 1                                                                                      | TRE05 Penttheon Ram Extension - 17.3" Extension, 10.1 lbs                        | \$ 1,039         |
| 3                                                                                      | DCPC1 Exclusive Penttheon Daisy Chain Power Cord                                 | \$ 39            |
| 4                                                                                      | POTC1 Exclusive Penttheon On-Tool Charging Cord                                  | \$ 431           |
| 2                                                                                      | AC/DC Power Converter, 115VAC to 28VDC - Model #PMC2                             | \$ 2,796         |
| 1                                                                                      | 3 Hour Penttheon Delivery Training                                               |                  |
| 1                                                                                      | Limited Life-Time Warranty                                                       |                  |
| 1                                                                                      | One-Year Service Contract on Above Equipment                                     |                  |
| 1                                                                                      | Shipping, Preparation and Delivery                                               | \$ 145           |
| <b>TOTAL SALE PRICE</b>                                                                |                                                                                  | <b>\$ 64,919</b> |

Small Ram Option: (Works with same two extensions listed above)

PTR40\*\* Penttheon Mini T-Ram, LED Lights & Laser, 15.2"-31.2", 30,574/14,613lbf, 34.2lbs \$ 12,525

\*\* NFPA Compliant

Bid Prices Valid For 90 Days From Date Of Proposal

Respectfully Submitted,

Patrick K. Grubb

Executive Vice President



# THE PENTHEON SERIES



 **holmatro**  
mastering power



**THE NEW SUPERIOR  
PENTHEON SERIES  
UNRESTRAINED  
PERFORMANCE  
FOR YOUR MISSION.**

All around the world first responders work in the most extreme conditions to save people's lives. They are faced with different challenges every day, all requiring quick decision making and solid teamwork. Working under pressure, in a race against the clock, first responders need equipment they can fully rely on. It is for these men and women that we have developed our new Penttheon Series. High-tech rescue tools that are miles ahead of all other equipment on the market, cordless and hose tools alike.

Only the Holmatro Penttheon Series offers you the unrestrained performance, unparalleled speed and ultimate control you've never experienced before!



# PENTHEON



**UNRESTRAINED PERFORMANCE FOR YOUR MISSION**

- CUTTER PCU50 -


- TELESCOPIC RAM PTR50 -

- COMBI TOOL PCT50 -

- SPREADER PSP40 -



**PENTHEON TOOLS**  
HOSE TOOLS  
BATTERY TOOLS



**UNPARALLELED TOOL SPEED AT ANY LOAD**

**PATENTED**

**UNPARALLELED SPEED  
STEPLESS SPEED MAXIMIZATION**

Pentheon tools are the fastest rescue tools on the market. A revolutionary mechatronic system inside the tools continuously optimizes the motor and pump settings, to deliver a maximized oil flow over the full pressure range. This provides you, as a rescuer, with unparalleled tool speed at any load.

Where all other rescue tools show a significant decrease in speed when switching to another stage to deal with higher loads, Holmatro Pentheon tools stick to the ideal stepless speed curve.



## ULTIMATE CONTROL TWO-MODE CONTROL HANDLE FOR ULTIMATE SPEED CONTROL

In the rescue business speed is nothing without control. Every second counts, but since you are working near a patient you need to be careful. Therefore our Pentheon tools have ultimate speed control. A unique two-mode control handle offers you the choice, at any time during the rescue operation, to switch between the tool's high-speed and low-speed modes. Within these two modes, the speed is still proportional to how far you turn the handle to its left or right.

Experience ultimate control or the fastest rescue tools ever!





Max. Gross-Druck (bar)



Energy-efficient drive technology

## MAXIMUM ENDURANCE EXTENDED WORKING TIME

**Holmatro Pentheon tools help you get more work done without swapping batteries. These are the reasons why.**

### PURPOSE-BUILT BATTERY WITH INCREASED CAPACITY

Specially developed to power our high-performance Pentheon tools, this battery contains extra large and powerful cells. Thanks to the bigger cell volume it heats up much slower than regular batteries. This means you can complete more work while using its maximum power.

### ENERGY EFFICIENT DRIVE TECHNOLOGY

The patented mechatronic system that controls the motor and pump settings of our Pentheon tools is extremely energy efficient. Especially when compared to the drive technology used in other cordless rescue tools. All with the aim to extend your working time.

### AUTO START/STOP FUNCTION: NO ENERGY WASTE

When the tool is not operated or has reached its maximum pressure, the motor stops automatically. This saves valuable battery capacity. Simply turn the control handle to restart the tool.



## MAXIMUM ENDURANCE USE IN ALL CONDITIONS

Whether it's hot or cold, in the rain or snow and even under water, Pentheon tools can be used in all conditions.

### TEMPERATURE MANAGEMENT TECHNOLOGY

Both tool and battery temperatures are continuously monitored to make sure these don't get too high, which would cause the tool to shut off. At extremely high temperatures Pentheon tools will automatically switch to working at a lower power consumption, without loss of force. All to make sure that you can keep going, even in hot weather and at high tool loads.

### UNDERWATER USE

Should you encounter a situation where you need to use your rescue tools completely submerged in water, our Pentheon tools are up for the job!

also even under water



## USER CENTERED DESIGN BATTERY MANAGEMENT MADE EASY

What if battery management could be made as simple as just plugging it in?  
Well, that's exactly what we have done!

### ON-TOOL CHARGING

Stop swapping batteries! From now on you can charge the battery while it's still on the tool. Simply connect the tool to the charger and the whole charging process will regulate itself. The battery on the tool always has priority over the one on the charger, which will resume charging when the battery on the tool is 100% full. You can connect up to 3 chargers to be powered from a single outlet. This allows you to charge 6 batteries without any management.

### MAGNETIC CONNECTOR

Easy connection and no disconnection required. Our On-Tool Charging Cord allows you to grab a tool and walk away with it. Thanks to the cord's magnetic connector the tool releases itself.



### REALTIME DIAGNOSTICS

LED indicators on the battery and the charger give you instant feedback on the battery's temperature, state of charge and state of health. For more detailed battery information you can use our diagnostics software. A more extensive version of this software is available for authorized Holmatro (Dealer) Service Technicians. It combines in-depth tool diagnostics with integrated inspection procedures, to provide the best service for your Pentheon tools. Holmatro has special accessories available to connect the Pentheon tools and batteries to your laptop or pc.



## USER CENTERED DESIGN COMPACT & INLINE TOOL DESIGN

Compact rescue tools are easier to handle and save space in your rescue truck. This is how we have managed to limit the dimensions of our high-performance Pentheon tools.

### COMPACT INTEGRATED MOTOR & PUMP

Inside the tools the electric motor and the hydraulic pump share the same shaft. This saves a lot of space.

**PATENTED**



### BATTERY INTEGRATED IN TOOL DESIGN

The battery has a semi-circle shape which makes it fit around the tool like a bracelet. This also contributes to the slim design of our Pentheon tools.



## USER CENTERED DESIGN EASE OF USE

At Holmatro we design rescue tools with the end user in the first, second and third place. Some examples:

### LED LIGHTS POWERED FROM MAIN BATTERY

Six high-output LED lights in the carrying handle illuminate your working area at night and neutralize annoying shadows during the day. They are powered from the main battery, which means they automatically switch on and off together with the tool. If desired, the lights can be switched off separately by pressing a button on the tool. But don't bother: their power consumption is next to nothing!



### 360° CARRYING HANDLE

With a carrying handle that goes all around the tool, you can hold the tool in any position. It also includes a suitcase grip for easy and well-balanced carrying. The handle is made of a damage-proof, high-grade synthetic polymer. This extremely tough and elastic material has the unique property of always returning to its original shape.

### INLINE CONTROL HANDLE WITH 360° ACCESS

Centrally positioned on the back of the tool, our control handle is always within reach. This allows for easy tool operation at all sides of the car and in any position.





# CUTTER PCU50

## ADDITIONAL FEATURES CUTTER

### 30° INCLINED BLADES

The angled jaw of our Pentheon Inclined Cutter offers you improved ergonomics when cutting high or low on the car. It allows you to operate the tool from a comfortable waist height. The inclined blade design also results in more space between the tool and the car, where your patient is located. For you, as a rescuer, this means easier and safer cutting.

### NEW CAR TECHNOLOGY BLADE DESIGN

These U-shaped blades pull even the strongest car materials into the cutting recess, close to the central bolt, where they are cut at the highest possible force. For a superior cutting performance on the latest vehicle models.

### OPTIMIZED CUTTING EDGE

Designed to withstand wear and damage even better. For a longer blade life and a superior cutting performance.

### I-BOLT

The I-Bolt has a flat central bolt design without a blade holder in between. It presses the blades together directly and more firmly. This minimizes blade separation and maximizes cutting performance. The flat design also allows for better access into narrow spaces.

30° inclined blades



Improved ergonomics

30°


Maximized working space



New Car Technology blades



Optimized cutting edge



I-Bolt

Flat central bolt



## SPECIFICATIONS CUTTER PCU50



|                                      |                       |
|--------------------------------------|-----------------------|
| Article number                       | 159.000.063           |
| Max. cutting opening                 | 7.2 in                |
| Theoretical cutting force            | 312 260 lbf           |
| Protection rate                      | IP57                  |
| Weight excl. battery                 | 44.1 lb               |
| Weight ready for use (incl. battery) | 47.4 lb               |
| Dimensions (L x W x H)               | 35.1 x 10.6 x 10.8 in |
| INPA 1508: 2020, cutting capacity    | AS B8 C7 D8 E9        |

Please see page 44-45 for information on the battery, charger and other accessories.



# SPREADER PSP40



## ADDITIONAL FEATURES SPREADER

### NEW EXTREME GRIP SPREADER TIPS

Unique design with pointed teeth at both sides that bite into the material. The middle row of teeth on the inside of the lips is taller and offers instant grip. The teeth on the outside alternately point in the opposite direction, to prevent the spreader from slipping away. This allows for a superior grip over the full spreading range. Finally, the interlocking profile results in smaller insertion dimensions.



## SPECIFICATIONS SPREADER PSP40



|                                        |                       |
|----------------------------------------|-----------------------|
| Article number                         | 153.000.054           |
| Spreading distance                     | 28.5 in               |
| Max. spreading force                   | 62,947 lbf            |
| Max. pulling force                     | 11,623 lbf            |
| Max. squeezing force                   | 13,264 lbf            |
| Protection rate                        | IP57                  |
| Weight incl. battery                   | 59.5 lb               |
| Weight - ready for use (incl. battery) | 42.5 lb               |
| Dimensions (L x W x H)                 | 37.6 x 10.6 x 10.9 in |
| NEPA 1936: 2020, HPF                   | 11,623 lbf            |
| NEPA 1936: 2020, NSF                   | 15,557 lbf            |
| NEPA 1936: 2020, LFF                   | 6,070 lbf             |
| NEPA 1936: 2020, LSF                   | 8,790 lbf             |

Please see page 44-45 for information on the battery, charger and other accessories.







# TELESCOPIC RAM PTR50





## ADDITIONAL FEATURES TELESCOPIC RAM

### SMART RAM EXTENSION

Now you only need one compact ram for all applications, including cross ramming from one side of the car to the other. Simply connect the optional extension pipe to bridge a gap of up to 1804 mm / 71 inches. The ram will automatically adapt its force to the new maximum length that can be achieved. All to make sure you can keep working safely.



### INTEGRATED LASER POINTER

Integrated in the ram head, the laser pointer marks the exact spot where the ram will touch the car construction. It helps you position the tool first time right, which saves time and is safer for the patient. If you would need to retract the ram to reposition it, the car construction could spring back and re-entrap your patient. The laser pointer can help you avoid this risk.

### DOUBLE CARRYING HANDLE

Our Pentheon ram has a double carrying handle for easy tool placement at both sides of the car. It also makes it easier to hold the ram inside the car, where space is limited. The double handle is made of a damage-proof high-grade synthetic polymer. This extremely tough and elastic material has the unique property of always returning to its original shape.



### CROSS RAM SUPPORT SET (ACCESSORY)

Specially developed to distribute the force of the ram over a larger area, our Cross Ram Support Set provides a solid platform for cross ramming. It prevents the ram from pushing through car interior surfaces, which would make it lose its effectiveness. Equipped with grip teeth for maximum hold.



# SPECIFICATIONS

## TELESCOPIC RAM PTR50



|                                               |                       |
|-----------------------------------------------|-----------------------|
| Article number                                | 159.000.062           |
| Extended length                               | 55.7 in               |
| Extended length incl. optional extension pipe | 71 in                 |
| Retracted length                              | 22.8 in               |
| Total spreading stroke                        | 31 in                 |
| Spreading stroke 1st plunger                  | 15.9 in               |
| Max. spreading force 1st plunger              | 30,574 lbf            |
| Spreading stroke 2nd plunger                  | 15 in                 |
| Max. spreading force 2nd plunger              | 14,613 lbf            |
| Protection rate                               | IP57                  |
| Weight excl. battery                          | 40.6 lb               |
| Weight ready for use (incl. battery)          | 43.9 lb               |
| Dimensions (L x W x H)                        | 22.8 x 10.1 x 17.4 in |
| NFPA 1936: 2020 IHSF                          | 30,574 lbf            |
| NFPA 1936: 2020 LSF                           | 14,613 lbf            |

Please see page 44/45 for information on the battery charger and other accessories



# COMBI TOOL PCT50





Two grip teeth at the inside of each combi tool blade.

## ADDITIONAL FEATURES COMBI TOOL

### UNIQUE GRIP TEETH

Added to the inside of the combi tool blades, these teeth prevent the material from being pushed out during cutting.



### REMOVABLE TIPS

The combi tool tips, which are specifically designed for spreading and squeezing, can be easily removed by hand. This allows you to cut material without crushing it.

### I-BOLT

Holmatro invented the I-Bolt to minimize blade separation and maximize cutting performance. It presses the blades together directly (no blade holder in between) and more tightly. This eliminates the need to tighten the central bolt after each tool use. Finally, the I-Bolt has a flat design for better access into narrow spaces.





# SPECIFICATIONS

## COMBI TOOL PCT50



|                                       |                       |
|---------------------------------------|-----------------------|
| Article number                        | 159.000.110           |
| Spreading distance                    | 15 in                 |
| Max. spreading force                  | 418,145 lbf           |
| Max. cutting opening                  | 12.8 in               |
| Theoretical cutting force             | 150,622 lbf           |
| Max. pulling force                    | 23,380 lbf            |
| Max. squeezing force                  | 19,558 lbf            |
| Protection rate                       | B-57                  |
| Weight excl. battery                  | 41.4 lb               |
| Weight, ready for use (incl. battery) | 44.9 lb               |
| Dimensions (L x W x H)                | 35.4 x 10.6 x 10.7 in |
| MFPA 1936: cutting capacity           | A7 B8 C9 D8 E8        |
| MFPA 1936: 2020 LPF                   | 23,380 lbf            |
| MFPA 1936: 2020 LPF                   | 17,917 lbf            |
| MFPA 1936: 2020 HSF                   | 9,554 lbf             |
| MFPA 1936: 2020 LSF                   | 7,398 lbf             |

Please see page 44/45 for information on the battery charger and other accessories



# PENTHEON ACCESSORIES

## FOR ALL MODELS



Battery PB24287

| Battery PB24287 (for all models) |             |
|----------------------------------|-------------|
| Article number                   | 151.000.533 |
| Battery type                     | Li-Ion      |
| Capacity                         | 7 Ah        |
| Energy                           | 175 Wh      |
| Voltage                          | 28 VDC      |
| Protection rate                  | IP67        |



Battery Charger PBCH

| Required accessories (for all models) |             |
|---------------------------------------|-------------|
| Article number                        | 151.000.742 |
| Battery Charger PBCH2 (AC-US)         |             |
| Battery Charger PBCH3 (DC)            | 151.000.632 |

## FOR ALL MODELS



Mains Power Connector PWC...

| Accessories (for all models)   |             |
|--------------------------------|-------------|
| Article number                 |             |
| Mains Power Connector PWC (US) | 151.000.745 |
| On-Tool Charging Cord POTC1    | 151.000.499 |
| Daisy Chain Power Cord DPCP1   | 151.000.505 |
| Tool Diagnostics Cord PTDCT1   | 151.000.506 |
| Battery Diagnostics Tool PB0T1 | 151.000.509 |

On-Tool Charging Cord POTC1: Cable to connect a Pentheon tool to the charger for the purpose of on-tool battery charging. The battery on the tool has priority over the battery on the charger.

Daisy Chain Power Cord DPCP1: Cable to connect 2 battery chargers. Up to 3 chargers can be connected in each other and powered from one outlet.



On-Tool Charging Cord POTC1



Daisy Chain Power Cord DPCP1



Tool Diagnostics Cord PTDCT1

Tool Diagnostics Cord PTDCT1: Cable to connect a Pentheon tool or the Battery Diagnostic Tool to a laptop or pc. Holmatro has developed special software for battery and tool diagnostics.

Battery Diagnostic Tool PB0T1: To be used with Tool Diagnostic Cord PTDCT1.

## PSP40



Accessory Set In Case ACS 02



Pulling Attachment Set PAS 02



Cutting Tip Set CTS 01



Spreading Tip Set STS 02

| Accessories PSP40                 |             |
|-----------------------------------|-------------|
| Article number                    |             |
| Accessory Set In Case ACS 02      | 150.182.268 |
| Pulling Attachment Set PAS 02     | 150.182.274 |
| Cutting Tip Set CTS 01            | 150.006.474 |
| Spreading Tip Set STS 02          | 150.006.475 |
| Pulling Chains Set In Case PCS 02 | 150.582.009 |
| Pulling Chains Set PCS 01         | 150.582.162 |



Pulling Chains Set PCS 01



Pulling Chains Set In Case PCS 02

## PTR50



Extension Pipe PRE03



Cross Ram Support Set XRS01



Ram Support HRS 22 NCT



Ram Support HRS 22

| Accessories PTR50                    |             |
|--------------------------------------|-------------|
| Article number                       |             |
| Extension Pipe PRE03 length: 17.3 in | 151.000.804 |
| Cross Ram Support Set XRS01          | 151.001.164 |
| Ram Support HRS 22 NCT               | 150.003.105 |
| Ram Support HRS 22                   | 150.181.011 |

## PCT50



Spreading Tip Set STS 04



Accessory Set In Case ACS 04



Pulling Chains Set In Case PCS 04

| Accessories PCT50                 |             |
|-----------------------------------|-------------|
| Article number                    |             |
| Spreading Tip Set STS 04          | 150.014.731 |
| Pulling Attachment Set PAS 07     | 150.182.078 |
| Accessories Set In Case ACS 04    | 150.182.465 |
| Pulling Chains Set In Case PCS 04 | 150.582.020 |
| Pulling Chains Set PCS 03         | 150.582.261 |



Pulling Chains Set PCS 03



With two high-tech production plants in the Netherlands and the USA, the strictest quality, safety and performance standards in the market and a history of groundbreaking product innovations, Holmatro is the world's leading rescue tool supplier. We are very proud to see that Holmatro tools are the first choice of many fire & rescue professionals around the globe.

## DOUBLE PLUNGER RAM

First ram with twin plungers. Designed to double the spreading distance without the risk of a plunger bending.



## CORE TECHNOLOGY

The world's first single hose / single coupler system. A turning point in rescue tool technology, making rescue procedures safer, quicker and easier.



## INCLINED CUTTER

First cutter with a 30-degree angled jaw, improving user comfort and maximizing working space.



INCLINED CUTTING

# A HISTORY OF INNOVATION

1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022

## PERSONAL POWER PUMP

The first lightweight, mobile rescue pump enabling one man to carry a full set of tool, pump and hoses on his own.



## 720 BAR WORKING PRESSURE

First hydraulic rescue tool operating at a pressure higher than 500 bar. The birth of lighter and more compact rescue equipment.



## NCT CUTTERS

First cutter with U-shaped NCT (New Car Technology) blades. Specially designed to cut new car construction.



## BATTERY TOOLS

First high-performance battery-powered rescue tools. Easy to carry and handle thanks to a low weight (< 15 kg incl. battery).



## PENTHEON SERIES

Unparalleled speed, ultimate control and the unrestrained performance to keep working in all circumstances. Miles ahead of all other rescue tools in the market.



# YOU CAN COUNT ON US, FOR LIFE

---

holmatro.com

 Holmatro Rescue World

 @HolmatroRescue

 holmatrorescue

 HolmatroRescue





JBM PETROLEUM SERVICE LLC  
8913 Clendaniel Pond Road  
Lincoln DE 19960

## Estimate

| Date      | Estimate # |
|-----------|------------|
| 3/16/2022 | 664        |

| Name / Address                                                       |
|----------------------------------------------------------------------|
| Millville Vol. Fire Co.<br>35554 Atlantic Ave<br>Millville, DE 19967 |

| Ship To                                                              |
|----------------------------------------------------------------------|
| Millville Vol. Fire Co.<br>35554 Atlantic Ave<br>Millville, DE 19967 |

| P.O. No. |
|----------|
|          |

| Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Qty | Cost         | Total       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------|-------------|
| JBM Petroleum Service LLC is pleased to estimate the following:<br>WORK SCOPE:<br>*Supply & install (2) single mechanical suction pumps including all hanging hardware<br>*Supply & install (2) hose retractors.<br>*Supply & install (1) mechanical pump control system.<br>48" Tall Island Pedestal<br>Chipkey Reader Option<br>(50) Chipkey<br>*Calibration & start up<br><br>Materials<br>Labor<br><br>JBM Petroleum Service LLC purchase & removal of tank & pump on site |     |              |             |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     | 21,303.65    | 21,303.65   |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     | 2,560.00     | 2,560.00    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |     | -1,000.00    | -1,000.00   |
| Thank you for the opportunity to quote this job. Quote is valid for 15 days.                                                                                                                                                                                                                                                                                                                                                                                                   |     | <b>Total</b> | \$22,863.65 |

|        |                       |
|--------|-----------------------|
| E-mail | jbmptroleum@gmail.com |
|--------|-----------------------|

Customer Signature \_\_\_\_\_